

	Application No.	A-nticont(a)
	Application No.	Applicant(s)
Aladia a RAHassa bilika	10/606,794	BUGE ET AL.
Notice of Allowability	Examiner	Art Unit
	Thu Khanh T. Nguyen	1722
The MAILING DATE of this communication appearable communication appe	OR REMAINS) CLOSED in this ap or other appropriate communication GHTS. This application is subject to	plication. If not included not will be mailed in due course. THIS
1. This communication is responsive to <u>1/09/02006</u> .		
2. ☑ The allowed claim(s) is/are <u>1-14</u> .		
3. ☑ Acknowledgment is made of a claim for foreign priority und a) ☑ All b) ☐ Some* c) ☐ None of the:		
1. Certified copies of the priority documents have		
2. Certified copies of the priority documents have	- '·	
3. Copies of the certified copies of the priority docu	uments have been received in this	national stage application from the
International Bureau (PCT Rule 17.2(a)).		
* Certified copies not received:		
Applicant has THREE MONTHS FROM THE "MAILING DATE" o noted below. Failure to timely comply will result in ABANDONME THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.	f this communication to file a reply ENT of this application.	complying with the requirements
4. A SUBSTITUTE OATH OR DECLARATION must be submit INFORMAL PATENT APPLICATION (PTO-152) which gives	ted. Note the attached EXAMINER reason(s) why the oath or declara	'S AMENDMENT or NOTICE OF tion is deficient.
5. CORRECTED DRAWINGS (as "replacement sheets") must	be submitted.	
(a) including changes required by the Notice of Draftsperso		948) attached
1) hereto or 2) to Paper No./Mail Date	-	,
(b) ☐ including changes required by the attached Examiner's Paper No./Mail Date	Amendment / Comment or in the C	Office action of
Identifying Indicia such as the application number (see 37 CFR 1.8 each sheet. Replacement sheet(s) should be labeled as such in the		
 DEPOSIT OF and/or INFORMATION about the deposit attached Examiner's comment regarding REQUIREMENT F 	it of BIOLOGICAL MATERIAL r OR THE DEPOSIT OF BIOLOGIC	nust be submitted. Note the AL MATERIAL.
Attachment(s)		
1. Notice of References Cited (PTO-892)	_	Patent Application (PTO-152)
2. Notice of Draftperson's Patent Drawing Review (PTO-948) 3. Information Disclosure Statements (PTO 1440 or PTO/SP/08)	6. Interview Summary Paper No./Mail Dat	te
3. Information Disclosure Statements (PTO-1449 or PTO/SB/08 Paper No./Mail Date	_	
Examiner's Comment Regarding Requirement for Deposit of Biological Material	გ. ⊠ Examiner's Stateme	ent of Reasons for Allowance
	9. 🔲 Other	

Application/Control Number: 10/606,794 Page 2

Art Unit: 1722

Allowable Subject Matter

1. Claims 1-14 are allowed over the prior art of record.

2. The following is an examiner's statement of reasons for allowance:

The German reference (1504597) discloses an hollow mandrel for the helical winding of overlapping plastic strips to form a tube or sleeve and consisting of two large articulated segments (2) of ribbed section, hinged at (5) and a smaller segment, or key segment, (3) interconnected by a hydraulic piston and cylinder device (7) and a joint piece (9), a pair of link (13) pivotably fixed to the larger segments (2) and to the joint member (9), and a hydraulic cylinder pivots are fixed to a common beam (15) at the diametrically opposite side of the mandrel, so that they form a single unit able to be operated in unison.

However, the German reference fails to disclose that the key segment movable independently from the other segment and a control device that is disconnectable from the mandrel for displacing segments from abutment with each other.

Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."

3. Any inquiry concerning this communication or earlier communications from the examiner should be directed to Thu Khanh T. Nguyen whose telephone number is 571-272-1136. The examiner can normally be reached on Monday- Friday, 6:30-4:00.

Art Unit: 1722

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Duane Smith can be reached on 571-272-1166. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

TN

DUANE SMITH PRIMARY EXAMINER

D-7 3-20-06